## KCSE TRIAL 2019 BIOLOGY PAPER 2 QUESTIONS


## **SECTION A (40 Marks)**

Answer all questions in the spaces provided after every question.

1. The diagram below represents a structure used for gaseous exchange in a woody plant.

a) Name the parts labeled A and B. (2 marks)
A
В
b) Name the gases marked by arrows X and Y. (2 marks)
X
Υ
c) Give the function of the part labeled B. (1 mark)
d) Name the physiological process that results in the production of gas in the plant tissues. (1 mark)
e) Why does low oxygen concentration in the soil result in reduced mineral ion absorption by root hairs of plants.
(2 marks)

2. The diagram below shows a section through the human ovary. Study it and answer the questions that follow.



ŀ	b(i) Which part of the ovary divides to form the primary follicle. (1 mark)
(	(ii) Which type of cell division is responsible for the production of primary follicles? (1 mark
(	c) Follicle stimulating hormone reaches the ovary so that part A begins to mature.
(	(i) Name the first hormone which is secreted by the ovary as a result of arrival of FSH (1 ma
(	(ii) What is the role of this hormone in the menstrual cycle? (1 mark)
(	d) Structure B leaves the ovary
(	(i) Where does structure B enter immediately after leaving the ovary? (1 mark)
(	(ii) Which hormone level peaks just before structure B leaves the ovary? (1 mark)
e	e) State the role of structure C. (1 mark)
ć	a) Define the following genetic terminologies.
(	(i) Phenotype (1 mark)

b) A cross is made to pink flowered. Using genotypes for the F	between a red flowered plant and a white flowered plant and all the F1 plants and letter R to represent read flowers and W for white flower colour, determine th 2 plants. Show your working. (5 marks)
The figure below re	presents a structure obtained from the ileum of a mammal.
a) Give the identity of	A B C of the structure shown in the diagram. (1 mark)
b) What is the impo	rtance of the structure named in (a) above. (1 mark)
c) Name the parts la	abeled A, B, and C. (3 marks)
Α	
	e secreted by the part labeled D. (1 mark)
(ii) List two enzymes	s present in the juice named in d(i) above. (2 marks)
The figure below sh	ows the stem of a plant growing around a tree trunk.

a)(i) State the response that causes the twisted growth. (1 mark)

4.

5.

Page 3

(ii) Name the hormone responsible for the growth. (1 mark)
b) Explain how the twisting process is accomplished. (2 marks)
c)(i) Name two other growth hormones in plants. (2 marks)
(ii) State one way in which each of the hormones in (i) affect growth. (2 marks)

## **SECTION B (40 Marks)**

Answer question 6 (compulsory) in the spaces provided and either question 7 or 8 in the spaces

after question 8.
6. In an experiment, several cubes of liver of same mass were put in separate test tubes each with equal amount of hydrogen peroxide.

Each test tube was placed in a water bath at various temperatures. The time taken for the hydrogen peroxide to decrease in each test tube was determined and recorded results are shown in table below.

Temperature in <sup>0</sup> C	15	20	25	30	35	40	45	50
Time taken for Hydrogen peroxide	45	30	15	10	4	4	30	57
to decrease (minutes)	of durat	ian of ro	a etian	Lainet	*****	turo (7	manufect.	

	14		44.	111	11	13.	12.3	EE.	2.1	11	ы	133	33	11	33	44	43	11	II.	144	14	LE		ш	11		44	11	14	11	13.	£14	44	44	13	14.			1.5
	144	444	12.1	ш	34	44	12.3	ш	н	14	LL.	LL.		44	44	44	44	44	ш	ш	44	H	44	ш	44		ш	44	44	ш	11	EG.	44	44	44	44.	닯니	144	厸
144	143	343		113	41	2.2	133		14	3.5	LL.	140	Шá	44	34	44	44	1.3	LL.	ш	44	LEI	14	533	44	LL:	43	44	44	LI.	313.	8.EU	133	44	44	IJ.	144	LGL1	43
144	111	222	LL.	144	ш	33.		E£.	맖	33	LE		13.3	11	34	33	42	31	LL.		10		14.1		14	144	34	44	21	11	11.	LE.	111	44	44	i.i.	EE	33	13
EE 10		133	3 3 3	0.13	3.3	33.	1.1	LE:	9/1	11:	DE:	1.0	-13	3.3	43		4:1	14	11	133	10	130		8.5.3	3.1	ELS	OL	3.3	13	4.20	13.	133	133	1.3	3.1	EE.	E E	323	1.3
2 11 12		133	255	111	33	11	- 3	280	13	ŒΕ	E.E.		0303	33	363	313	66.0	15.5	ш	SU	100	115.1	301	111	30	430	33	SEE.	336	Œ	1.1	EE.	331	313	3E	EE.	E E	SB	13
	GE3	III II	EE E		11	-11	100	E D	11	EΕ	\$UE3	140		11		30	MG.	1.1	$\mathbf{r}$	1013	108	137	200		33	140	30	321	TI	E.E.	4120	100		3.7	33.	EE.		CE3	CE
100	CE I	1510	REE		ш	100	-10	Œ	п	H	EE	SE	90	33	œ	33	33	300	EE	80	300	100	0.38	2010E	E		00	33	ш	ÆΕ	3130	EE	311	11	33	K.E.	IΠ	0.13	Œ
	Œ	ν			77	TE:	137	ш	п	т	TT:	EE	Ш	33	æ	33	33	ĦΤ	TT	100	3.2	5 E 3	33	173	13	100	301	77	TI	717	7.0		800	177	法正	ŧΒ	m	833	Ħ
113	17	TE:	1330		33	77		ш	ш	т	DO.	m	ш		m	坩	883	TT	甘甘	111	411	170	77	धान	100	TT	35	312	TT	m	m	ш	137	113	TT	11	277	100	EŦ
		111			77	-		-	**	**	m	200	130	33	MT.	33	200	77	TT	<del>toto</del>	400	m	44	संध	177	131	min.	77	37	111	***	***	mm	77	77	22	t tr	m	m
-	111	131	1777	***	##	**	-	m	Ħ	tt	HI:	latin	Hei	dd	151	11	193	100	11	111	+	100		199	30	200	111	44	11	11	tt	m	eet	99	**	11		1313	m
100	22	44	H++		++		-	ж	H	++		н	1	44	++	-	40	++	++	<del>143</del>	4+		111		34	100	-	-8-6	<del>4.</del> E	++	<del>-</del>	He-	-64	44	44	H.	<del>Di</del> H	HH	H
9649	144	100	н		++		н	н	44	44	-4-	н	ш	44		44	444	44	#+	HH	400	HH	44	444	34	444	144	<del>di</del> f	44	444	-	Įщ	44	44	44	÷÷	든원	НΗ	100
1944	994	rana i	Hilida	6-6-6	44	44	144	H	44	44	44		ш	44	44	44	44	44	44	i-i-i	نشؤنا	\$184	44	444	44	dobil	144	44	44	444	July 1	HH	44	44	44	444	£4H	HH	Ь÷
<del>obele</del>	444	didi:	12.2		44	11	-	-	44	44	day.	Laboration of the	4	44	44	44	44	44	44	1-1-2	40	144	-4-4	1444	44	444	34	44	44	44	44	Line.	فنقذ	44	بقبق	نفنة	اسأما	-	44
444	144	444	444	144	44	44	444	L.E.	14	44	443	522	644	34	33	44	44	44	14	144	dia.	444	138	444	44	444	334	34	44	LL.	44.	1-12	34	44	44	44.	H	513	13
	1	130	LL.	444	33		EE	ш	11	ÆΕ	LLL:		Œ	31	ш	-11	300	331	LL.	E 13	1810	130	338	23.3	LES.	ELL	383	44	11	$_{13}$	3.8.		363	13	11	2.2	E.E.	EE3	13
100	34	44.	13.15	111	ш	-		EE:	ш	112	\$1\$0	135		88	33	$\mathbf{L}$	43	3.1			400	EÐ		SEE	33	320	SEI	T.E	33	3.1.	EE	E33	33	3.3	3.3	EE:	EE	<u> </u>	1.3
133	131	1/27		1.1	4.5			ш			1.1		UL3		H.E		4.1	Life	L		1	E.E.		H	1.5	18 8	31	3.5	1.1	4.1	118			11	Ш	1.8		LL3	L.
		1113	0.83		4II					1.3	HE	88	13.3	11	13	33	1.3				30			HI		100	3.3	3.3	II.	LF	11		13.1	33	11	1.3	1.1	BB.	Œ
	4.8	1.3		8.30	11	13			E.F	SE	2.3	133		33	13	33			EF					ELI	13	H			1.7	H	13	EE	133	13	EF	H	111	BE.	Œ
EFF		33	1.1	133	17	17		117			111"	177		11	13	712		100	ET	1373	337	1717	9	177	11		60	3.8	77	FT	17	1.3	133	13	21	13	ETI		B
10.17	113	325	5170	1111	77	-	177	m	**	m	钳	120		55	32	337	33	11	t:t:	1013	300	ĦΗ		113	10	272	eter eter	77	22	tt	3131	반기	idd (	41	生せ	tit:	fritri	55	ĽΤ
300	m	71	HH:	: 11	**	**		Ħ	++	**	HIS:	HH	tetet.	111	44	99	MH.	100	tt	tы	40	HH4	111	<del>t tit</del>	**	111	His	412	tt.	111	3:5	Feti	199	411	Ħŧ	t to	etd	ma	m
-	22.0	***	***	***	++		-	H+	++	++	++	100	HH		++	-11	44	++	++	+++	400	HH:	-	<del>1-1-1</del>	++	-	н	44	-64	++	++	HH		-11	++	<del>titi</del>	<del>lithi</del>	нн	m
+++	99	++-	-		++			-	++	++	-	144	ш	++	44		++	++	++	н	40		++		44	444	44	44	44	++	++	ын		44	++	++	₩H	-	pro-
3949	144	346	644	144	44			ш		++	<del></del>	н	ш	44	44	-1-4	44	44	84	1-1-1	dia.	144	44	144	44	4040	144	44	44	44	444	£64	644	44	a i	44	644	MA	44
444	Hiš	444	lideb.		44		-	ы		44	ЫĿ	-	14.4	44	44	44	Ыij	44	44	144	400	444	44	5,615	44	dide:	144	44	44	44	4-64	Li.	44	44	44	14.	БЫ	HH	H
444	144	444	1144	544	44	44	144	lii ji	44	44	5/2/	-	144	-14	33	44	44	4-4	14	112	3.5	444	44	uu	44	إسلامك	JJ.	44	44	44	44.	\$30	33	44	ā.b	44.	E-Li	133	44
444	144	بالتأن	Hil.	111	44	2.1		EE:	44	11.	24	-	ш	33	33	343	444	44	14	114	400	1:40	444	1:1:1	34	1.1.	253	44	44	11	3:3:	14.	12.1	44	44	i.i.	E-E-I	did	44
20.00	CH15	2.3	SE.	133	23		100	1.30	2.1	ш	8.82	64.2	133	33	101	84.84	8	3.1	8.1	1.3		EES		\$18/2	3.1	400	3.1	3.1	4.3	11	1.8	LES	333	1,010	3.1	135	1.1.1	28.3	12
30.0		4.1	1.1	ш	ш	-		Œ	ш	Œ	ш	12.3		33	201	9353	JE.	3.1	E.E.	13.3	3.33	EE		E-E-3	1.5	4.10	200	-3:E	3.3	3.1	EΞ	EE.	543	1.1	4.5	EE.	EE		ш
œĸ		13.1	DEE.		ш	3.3	EB3		н	ш	130	130		-11	1.1	323	211	13	EE.	143	4.00	230	83	1111	30	9 12 13	38.3	3.15	33	EΕ	EE.	23.1	53	13	3.8	1.8.	EE:	583	5.5
200		3130		383	П	300		ш	П	П	50E			100	ПТ	80		33	TIL	113	3.5	$\mathbf{n}$	S 38	БЫ	353	400	24/2	33	33	130	33	130	Œ	17.	ΞŦ	Œ	100	33	EŦ
16.0	en.	333		111	33	3143		1080	Ħ	TΕ	$_{\mathrm{IIE}}$	- 10		33	33	93	13	TIT	ш	500	3 3	m		111	T	100	ा	ΠŦ	বৰ	T	130	E 3 3	33	33	33	TT.	EF	383	П
25.5	133	330		200	23	77	E11	瞫	耳	ΞŦ	\$7\$3		囲	11	33	833	100	TT	m	1013	37	570	-	211	77	TT	20	33	TΤ	TT	200	m	133	73	77	TT	凹凹	33	EŦ
1010		7.71	100	111	Ħ			200	37	777	230		mm	77	777	त्रव	77	77	77	1000	100	200		1717	Mar.		311	1919	77	11	tt	131	mm	TH.	111	tt	100	111	м
		1111	130	$\Box$	71	1111	m	tota	11	11	TO THE	177		-	-	30	m	44	111	111	100	100	200	133	dist.	110	HH.	71	11	11	11:	B211	101	11	44	Ħ	990	m	m
711	PH4	3:51	100	ш	Ħ	**	m	tete	Ħ	24	t-t-	to to	1914	34	99	99	Н	44	1+	<del>t H</del>	400	<del>2011</del>	10	<del>101</del>	44	444	H	44	44	++	tri:	<del>8:3</del> +1	<del>214</del>	44	44	14	₽₩	HH	H
440	Ħŧ	440	HH:		411	me.	н-	н	÷	++	212	PН	HH4	++	88	++		etet.	4++	<del>er</del>	44	<del>1954</del>	HH	м	44	940	eН	44	-14	4:8	Hè:	ÐН	84	++	-64:	14-	HH	95	Ħ
efrife	944	449	<del>Diri</del>		44		н	н	44	掛掛	4164	н	ЫH	44	44	44	HH	44	44	444	nh-i-	4-4-4	44	444	44	أولونية	ыч	44	44	44	44	<u>Balil</u>	644	44	44	44	644	He	ÞΨ
<del>rist</del> i		4444	-	<del>144</del>	44				44	÷÷.	ė÷.	-	H	44	idid.	44	44	iibibi	ė.	ЫH	-deci-	<del>i del</del> e	44	<del>i did</del>	44	4	idai	idib.	44	44	بإبيان	E-64	24	dii.	44	i i	<del>id</del> i	144	Ьŵ
<del>alata</del>	HH		нн	44	44	44		μü	44	44	E-G	1	ш	-44	44	44	44	44	44	444	446	144	44	144	44	344	444	44	44	44	444	lii.	84	44	44	34.	££ii	-64	H
344	144	14	144		44	120.01	100	<u> 141</u>	64	4.3	142	13.0	134	44	433	44	44	41	14	1.4.3	3.3	EE	14.0	2:3:4	44	232	34	3.1	14	44	11.	140	34	44	3.1	44.		-33	14
444	113	2.33	144	-	14	3.1		ш	34	117	CE:	144	1:5:3	3.3	-11	354	311	14	14	1313	1.5	133	3.4	1.4.3	44	8.3		1.1	14	11	533	63/	(3.)	3.3	14	14.		0.62	14
334	111	430			315	4.1	140	LL.	24	JUE.	EL			44	ш	113	122	111	11	ш	33.	LE	3.3		33	200	GI.	33	44	11	<b>3</b> 33.	E3.	0103	4.1	33	11		-10	Li
2.1	maril.	14	-		11	14	1	Lib.	1.1	10.0	1.1				1.1	4.1		1.1			1.0	1.1		14.1	4.4	10.10	4.1	1,5	13	1.1	13.			1.1	44	11	1.1	18.	L
1.10	1.1	1.3	13.5		1.1			1.5	LE	1.1	1.10					1 3		3.5	H		\$150	1.1		1.2.3	1.5	101		4.3	П		6.6	LE		13	1.5	L	1:1		G
11.	140	1.3			П					U			01	1 2				H	L	13.7	1.0	ISP)		133			8 1	1.1	13		13	137	130	13	13	H	ET.		П
		1.5			Ħ	11		ш	LE	11	LF			3		10	150	TI	H		1.5	131		133	11	11	26	13	T	H	13			11	13	TT			13
3.1		4.1.			1.1	11		131	13	3.5	III.	H	E	13		11	133	13	11		13	137		133		100	33	1.8	11	131	13	131		11	4.5	ET.	111	12.3	E
					11	17	110	100	11	3.7	P.P.	ET S	1334	11	d i	100	143	11	T	177	10	11		133	10	3713	1	11	TŤ	11	13			11	17	T	E E 1		EŤ.
	EU	1112	TT		13	-	1.1	17	13	TT	10	11	100	111	112	1	100	17	17	111	17	277	11	170	11	771	41	77	11	17	17		111	11	17	11	11		rt
7.5	111	77	17.7	111	11	11	m	Ħ	11	11	THE !	m	1111	11	777	++	ritt	44	**	111	44	한밤	111	tti	44	999	nte.	77	44	†*†*	tt	Print	199	11	11	t†	tritri	HH	Ħ
717	m	37	H#	##	++	27	111	1	11	11	***	M	m	11	77	44	44	44	11	199	40	111	10	999	10	igner.	ert e	99	44	44	++	8181	14	44	44	11	<del>111</del>	HH	H
74	111	44	120	+++	44	4+	1	1+	++	++	ş-ş-ı	H	HH	++	94	44	HH	24	44	664	10		44	2-5-2	++	-		++	++	++	++	ĐĐI	194	44	++	++	ē÷	1	H
11		44	111	1	44	++	-	ini-	++	++	++-	144	HH	++	44	44	444	44	++	144	44	44-	44	<del>l-i-i</del>	44	444	14	44	44	++	++-	444	H	44	44	<del>14</del> -	144	1	H
-	-	-	-	-	44	-	-	-	++	++	4	1	4	-44		4	44	44	44	-	44		44	111	44	544	44	4.5	44	44	44	1	-	44	44	44.	-	-	H
44	144	444	14.4		44	44	-	4	14	44	44	14	13.3	44	44	43	14	44	44	111	43	1.2	44	13.1	44	11	4.3	4.1	11	11	15	1.3.	12.1	44	44	14	4.4	14	Li
44	144	444	144	144	ш	44		1	14	2.1	1.5		LL.	4.1	43	4.1		41	4.1.		4.0		44	111	44	11		4.5	44	4.1	11	1.1	14.1	44	44	1.4	1.1.	14	Li
14	44	14.	GE C		1.1	44			11	4.3	III.		13.3	43	H		4.3	3.1	II.		3.5	1.50	4.0	LΩ	13	3	88	33	13	Ш	IJ.	1.3	-5.1	L	13	1.1		26	13
	130	I.S.	1.5		Ш						1.1					10	100	100	EF	1 1	1.6	643	42.6	111	1.6	154.3		1818	13	H	1.5	8.8			13	11	E E	10.3	13
1.5		13	1.5		9	J.F				135					3.0	88		T.F	10			133	0.00	111		1213		1.5		13	13	E. II.	0.14		13	5.3	100		13
					_				_					_		_		_	_	_			_		_	_	_	_	_	_	_			_					-

b) From your graph, determine the optimum temperature for the decomposition of hydrogen peroxide. (1 mark)
c) Account for the changes that occur between
(i) 150 C - 350C (2 marks)
(ii) 350C - 400C (2 marks)
(iii) 400C - 350C (2 marks)

d) Name the enzyme in the liver that decomposes hydrogen peroxide. (1 mark)
e) Other than temperature, state three other factors that affect enzyme controlled reactions. (3 marks)
f) Name two types of enzyme inhibitors. (2 marks)

- 7. Discuss the evidence of organic evolution in living organisms.
- 8. Describe the process of Inhalation and Exhalation in mammals.